

Using pictorial nudges of fruit and vegetables on tableware to increase children's fruit and vegetable consumption

Maxine Sharps¹, Eleanor Thomas², Jacqueline Blissett³

¹School of Applied Social Sciences, De Montfort University, The Gateway, Leicester, LE1 9BH, UK.

²Centre for Advances in Behavioural Sciences, Coventry University, Coventry, CV1 5FB, UK.

³Department of Psychology, School of Life and Health Sciences, Aston University, B4 7ET, UK.

Corresponding author: Maxine Sharps Maxine.sharps@dmu.ac.uk

0116 207 8262

ORCID: 0000-0003-4703-8121

The authors report no conflicts of interest

Abstract

Children's fruit and vegetable consumption is lower than recommended. Increasing consumption is important for children's health. Nudges influence children's eating behaviour, but less is known about the influence of a pictorial nudge on tableware on children's fruit and vegetable consumption. Two studies examined this. Study 1 examined whether a pictorial fruit nudge (a grape image) on a plate influenced children's fruit (grape) consumption relative to a control condition (no image). In a between-subjects design, children ($n=63$, Mean age=8.9 years, $SD=1.41$, 38 females, 25 males, 73% had a healthy-weight) were randomly assigned to one of two conditions (fruit nudge vs. control). Study 2 examined the influence of a large portion pictorial nudge (a large portion carrot image) vs. a small portion pictorial nudge (a small portion carrot image) vs. control (no nudge) on children's vegetable (carrot) consumption. In a between-subjects design, children ($n=59$, Mean age=8.57 years, $SD=2.13$, 31 females, 28 males, 85% had a healthy-weight) were randomly assigned to a condition. In Study 1 children consumed significantly more fruit in the pictorial nudge condition than the control condition. In Study 2 children ate significantly more vegetables in the large portion pictorial nudge condition than the other two conditions. The small portion pictorial nudge did not affect children's vegetable consumption relative to control. The results indicate that pictorial nudges on tableware influence children's fruit and vegetable consumption, and the portion size of this type of nudge may be key to whether it influences children's eating behaviour.

Keywords: nudging; eating behaviour; children; portion size

Introduction

Children do not eat a sufficient amount of fruit and vegetables. In 2016 only 16% of children aged 5-15 years old in England ate the recommended five or more portions of fruit and vegetables per day (Research 2017). Fruit and vegetable consumption is associated with a reduction in the risk of a number of chronic diseases (Boeing et al. 2012; Hu et al. 2014; Wang et al. 2014a). A meta-analysis showed that the risk of all-cause mortality decreased by 5% for each additional serving of fruit and vegetables, up to five portions per day (Wang et al. 2014b). Since eating behaviours track from childhood into adolescence and adulthood (Birch et al. 2009; Birch and Fisher 1998), increasing fruit and vegetable consumption at an early age is important.

Nudging is a potential strategy for increasing children's fruit and vegetable consumption. The term nudging was originally coined by Thaler and Sunstein (Thaler and Sunstein 2008) and was defined as "any aspect of the choice architecture that alters people's behaviour in a predictable way without forbidding any options or significantly changing their economic incentives". More recently Hollands et al (Hollands et al. 2013) developed an operational definition of nudging in relation to changing health-related behaviour. Hollands et al (Hollands et al. 2013) defined nudging as "interventions that involve altering the properties or placement of objects or stimuli within micro-environments with the intention of changing health-related behaviour". A recent review of 39 systematic reviews and meta-analyses showed that a variety of nudges influence eating behaviour and promote healthier eating in adults and children (Bauer and Reisch 2019). For example, children were more likely to select oranges when the oranges were sliced than when they were whole (Swanson, Branscum, and Nakayima 2009), and were more likely to take a serving of fruit when a verbal prompt ("would you like fruit or juice with

your lunch?") was used by the canteen staff than when no prompt was used (Schwartz 2007). Furthermore, serving vegetables while children waited in the school dinner line increased consumption of vegetables (Elsbernd et al. 2016), and the addition of a model-related label ("new carrot/broccoli recipe, special mix for super heroes") increased the likelihood that children would choose the new vegetable dish (Morizet et al. 2012).

Another type of nudge which has been shown to influence children's vegetable consumption is the placement of images of food on a school dinner tray (Reicks et al. 2012). Reicks et al (Reicks et al. 2012) placed images of carrots and green beans on a school dinner tray on one occasion and found that children selected and consumed more carrots and green beans when the images were present on their tray in comparison to a control day when no images were present. However, this is the only study to our knowledge which has examined the influence of pictorial nudges on tableware on children's eating behaviour. Therefore, since consumption of both fruit and vegetables is beneficial for health (Boeing et al. 2012), examining the influence of pictorial nudges on children's fruit consumption would be of value. Furthermore, from this previous research (Reicks et al. 2012) it is not clear how the pictorial nudges influenced children's eating behaviour. One possibility is that the portion size of the nudge image may affect the amount that children eat. Research has consistently shown that children eat more when served a large portion of food than when served a small portion (Birch, Savage, and Fisher 2015; Fisher et al. 2007; Hetherington and Blundell-Birtill 2018), which is known as the portion size effect. Pictorial nudges on tableware may act in a similar way to a portion served on a plate, whereby a pictorial nudge of a large portion of a food may encourage children to eat more of that food compared to a pictorial nudge containing an image of a small portion.

Understanding whether pictorial nudges elicit the portion size effect will be informative for the development of pictorial nudges to increase children's fruit and vegetable consumption.

In this paper we aimed to understand the influence of pictorial nudges on children's fruit and vegetable consumption. In study 1 we examined whether a pictorial fruit nudge influenced children's fruit consumption. We expected that the pictorial nudge would influence children to increase their consumption of fruit relative to control (no image on a plate). In study 2 we examined whether the portion size of a pictorial vegetable nudge influenced children's vegetable consumption. We expected that if the nudge influenced children's vegetable consumption through eliciting the portion size effect, then children in the large portion nudge condition would consume more vegetables than children in the other two conditions, and children in the small portion condition would consume more vegetables than children in the control condition.

Study 1

Method

Design

Children attended a single experimental session on an individual basis in their primary school. Children were randomly assigned (using the online random number generator <http://www.randomizer.org>) to one of two conditions (fruit nudge vs. control) in a between-subjects design. In both conditions children were given a plastic white plate (22cm diameter) and a plastic white bowl containing green seedless grapes (approximately 150 grams). In the

fruit nudge condition a laminated photographic image of green grapes¹ was placed on the plate (this image was placed on the plate at the start of fruit nudge condition session and was loose and not stuck to the plate). No image was present on the plate in the control condition (see Figure 1 for images of the two conditions). The plate and the bowl were weighed using digital scales pre and post-consumption to measure children's consumption.

Ethics

Study 1 and study 2 were approved by Coventry University Research Ethics Committee (P69532 and P67529), and have been performed in accordance with the ethical standards laid down in the 1964 Declaration of Helsinki and its later amendments. Fully-informed parental consent was provided, and children who had food allergies, or a history of food allergies were unable to participate in both studies. Children assented to take part on the day of the study.

Questionnaire measures

Manipulation check

To examine whether children noticed the image on their plate (manipulation check) children were presented with the question 'You were given a plate to eat off, what did your plate look like?' with two image options; a plate containing no image or a plate containing an image of grapes.

¹ The photographic nudge image constituted a large portion and weighed approximately 240 grams. The image was taken of a plate full of grapes, however the image was edited so that only the grapes can be seen.

130 *Liking of the test food*

131 Liking of grapes was assessed using a smiley face Likert-style scale by asking ‘How much do
132 you like grapes?’ with five response options ranging from ‘not at all’ to ‘a lot’, based on a
133 question previously used by Sharps & Robinson (2015).

134

135 *zBMI*

136 In both studies, height was measured to the nearest 0.5cm using a Stadiometer (Seca 213,
137 Seca GmbH & Co.) and weight was measured to the nearest 0.1kg using a digital scale (Seca
138 813, Seca GmbH & Co.). BMI was calculated as weight (kg)/height (m²). Using
139 internationally recognised criteria for children (Cole and Lobstein 2012), healthy-weight,
140 overweight and obesity were defined based on age and sex-specific BMI cut-off points
141 equivalent to adult BMI of 25-30 kg/m² respectively.

142

143 *Procedure*

144 Children were tested individually during weekdays at a primary school. Children sat at a table
145 in a quiet area of the school and were told a cover story (children were informed that the
146 researcher was interested in how well they played a game). The researcher explained that
147 they needed to ‘sort out the game’ so the child could have a snack while they waited. The
148 child was presented with a plate (which either contained a fruit nudge or no nudge depending
149 on the condition), and a bowl of grapes. The child was informed that they could help
150 themselves to as much as they liked, and the researcher asked the child to put however much
151 they wanted to eat onto the plate and eat from the plate. The child was left alone for 7
152 minutes. On return the researcher removed the plate and bowl and presented the child with

the game, which involved matching pairs of animals. The child was left for 3 minutes to play the game. The researcher then congratulated the child on their performance on the game to corroborate the cover story, and asked the child the questionnaire measures, and measured their height and weight. All children were debriefed once all the children had been tested in that school.

Analysis strategy

Pearson's correlations were conducted to examine whether any of the variables (age, zBMI, and liking of grapes) correlated with grape consumption. Variables which significantly correlated with grape consumption were included as covariates. A one-way ANCOVA was conducted to examine the influence of condition on grape consumption. Gender was included in the ANCOVA to examine whether it moderated the effect of condition on grape consumption. For the manipulation check, children's responses were scored based on whether or not they correctly identified the image on their plate and a percentage of correct responses was calculated.

Results

Participants

65 children aged 6-11 years were recruited from one primary school in the Midlands. A power calculation using g-power indicated that for a medium-large effect size at 80% power ($\alpha = .05$), a minimum of 60 children were required. One child was excluded due to fasting on the day of testing, and one child did not correctly identify their plate in the manipulation check, so the final sample consisted of 63 children (Mean age = 8.9 years, SD = 1.41, 38

176 females, 25 males, 73% had a healthy-weight). See Table 1 for mean grape consumption, age,
177 zBMI and gender distribution across the two conditions.

178

179 *Manipulation check*

180 98.5% of children correctly identified their plate.

181

182 *Co-variates and moderators*

183 Grape liking significantly correlated with grape consumption [$r = .45$, $n = 63$, $p = < .001$] and
184 was included as a covariate in the ANCOVA. zBMI and age did not significantly correlate
185 with grape consumption and therefore were not controlled for in the analysis ($ps > .05$).
186 Gender did not moderate the effect of condition on children's grape consumption ($p > .05$).

187

188 *Grape consumption*

189 There was a significant main effect of condition on grape consumption [$F(1, 60) = 6.06$, $p =$
190 $.02$, $\eta^2 = .09$]. Children in the fruit nudge condition consumed significantly more grapes
191 than children in the control condition. See Table 1 for means and range, and Figure 1 for
192 means and standard error.

193

194 *Study 2*

195 *Method*

196 *Design*

As in study 1, children were randomly assigned (using the online random number generator <http://www.randomizer.org>) to a condition in a between-subjects design. Children were either assigned to the large portion nudge condition, the small portion nudge condition, or the control condition. Children in all conditions were given a plastic white plate and a plastic white bowl containing raw carrot batons (approximately 130 grams). In the large portion nudge condition the plate contained a laminated photographic image of a large portion of carrots, in the small portion nudge condition the plate contained a photographic image of a small portion of carrots, and in the control condition there was no image (see Figure 1 for images of the conditions)²³. The plate and bowl were weighed pre and post-consumption to measure children's carrot consumption.

Questionnaire measures

Manipulation check

To examine whether children noticed the image on their plate (manipulation check) children were presented with the question 'You were given a plate to eat off, what did your plate look like?' with three image options; a plate containing no image, a plate containing an image of a small portion of carrots, or a plate containing an image of a large portion of carrots.

² The large portion nudge image was taken of a large plate of raw carrot batons and weighed 240 grams. The small portion nudge image was taken of three carrot batons on a plate and weighed 27 grams. The images were edited so that the plate was not visible.

³ The current recommendation for children's portion sizes is what children can fit into their cupped hand and there are no recommended portion sizes in grams due to differences in children's age, gender and physical activity levels. Therefore, we aimed to create a visibly small portion and a visibly large portion nudge. The small portion pictorial nudge is the equivalent of approximately one third of the recommended portion for adults (which is 80 grams per portion), while the large portion is the equivalent of three times the adult recommended portion.

215 *Typical Fruit and Vegetable consumption and liking of the test food*

216 To ensure that children's habitual fruit and vegetable consumption did not systematically
217 influence their behaviour, children's typical fruit and vegetable consumption was measured
218 using the Day in the Life Questionnaire (DILQ). The DILQ is a valid and reliable twenty-four
219 hour recall measure for use in children (Edmunds and Ziebland 2002). Liking of carrots was
220 assessed using a smiley face Likert-style scale by asking 'How much do you like carrots?'
221 with five response options ranging from 'not at all' to 'a lot'. This was based on a question
222 used by Sharps and Robinson (Sharps and Robinson 2015).

223

224 *zBMI*

225 Children's zBMI was calculated in the same way as Study 1.

226

227 *Procedure*

228 Children were tested individually and were sat at a table in a private section of a larger room
229 at a family science event. The researcher explained the cover story that they had designed a
230 plate and wanted the child's opinion. The researcher presented the child with the plate (either
231 containing a large or small portion nudge or no nudge depending on condition) and asked the
232 child questions about the plate (their opinion on the colour, texture and size). The researcher
233 then explained that they wanted the child to design their own plate but that they were going to
234 have a break first. The researcher placed the plate and the bowl containing the carrots in front
235 of the child. As in study 1 the researcher informed the child that they could eat as much as
236 they wanted, and asked the child to put whatever they wanted to eat onto the plate and eat
237 from the plate. The child was left child alone for 7 minutes. After 7 minutes, the researcher

returned and removed the plate and the bowl and presented the child with a worksheet where they could design their own plate. The child was left alone for 3 more minutes to design their plate to corroborate the cover story. On return, the researcher congratulated the child on their plate design and the child completed the questionnaire measures with the researcher. Children were debriefed at the end of their participation in the study.

Analysis strategy

As in study 1 Pearson's correlations were conducted to examine whether any of the variables (age, zBMI, typical fruit and vegetable intake, and liking of carrots) correlated with the carrot consumption. Variables which significantly correlated with carrot consumption were included as covariates. A one-way ANCOVA was conducted to examine the influence of condition on carrot consumption. Gender was included as a moderator in the ANCOVA to examine whether gender moderated the effect of condition on children's carrot consumption. As in study 1, for the manipulation check children's responses were scored based on whether or not they correctly identified the image on their plate and a percentage of correct responses was calculated.

Results

Participants

75 children aged 5-13 years participated in the study which took place at a family science event in the Midlands, United Kingdom. Based on the results of study 1, we conducted a power calculation for a medium-large effect size at 80% power, with $\alpha = .05$. A minimum of 74 children were required. This study took place in a private section of a larger room, and

children completed the study individually. Parents were asked not to be present during the study, however, in ten cases, the parents remained present, and these children were excluded. Six children were excluded as they did not correctly identify their plate in the manipulation check. The final sample consisted of 59 children (Mean age = 8.57 years, SD = 2.13, 31 females, 28 males, 85% had a healthy-weight). See Table 1 for mean carrot consumption, age, zBMI and gender distribution across the conditions.

Manipulation check

91% of children correctly identified the image on their plate.

Co-variates

Carrot liking significantly correlated with carrot consumption [$r = -.52$, $n = 59$, $p < .001$] and was included as a covariate in the ANCOVA. There were no other significant correlations between carrot consumption and age, zBMI, and usual fruit and vegetable consumption ($ps > .05$), and gender did not moderate the effect of condition on children's carrot consumption ($p > .05$).

Carrot consumption

There was a significant main effect of condition on carrot consumption [$F(2, 55) = 3.42$, $p = .040$, $\eta^2 = .11$]. Children in the large portion nudge condition ate significantly more carrots than children in the other two conditions, but there was no significant difference between the

small portion nudge condition and the control condition. See Table 1 for means and range, and Figure 1 for means and standard error.

General discussion

Across two studies we examined the influence of pictorial nudges (photographic images of fruit or vegetables on tableware (a plate) on children's fruit and vegetable consumption. In study 1 children consumed more grapes when exposed to a pictorial fruit nudge (an image of grapes on a plate) in comparison to the control condition (no image on the plate). In study 2, children increased their consumption of carrots when exposed to a large portion pictorial nudge (an image of a large portion of carrots on a plate) in comparison to a small portion pictorial nudge (an image of a small portion of carrots on a plate) and control (no image). The results build on the work by Reicks et al (2012) through providing the first evidence that a pictorial nudge influences children's fruit consumption. These results also demonstrate for the first time, that the portion size of a pictorial nudge may be key to whether pictorial nudges on tableware influence children's eating behaviour.

The results of study 2 are consistent with the portion size literature (Hetherington and Blundell-Birtill 2018; Small et al. 2013) and indicate that the pictorial nudges in these studies may have influenced children's vegetable consumption through the portion size effect. The portion size effect has been suggested to occur due to the portion acting as a cue or social norm about the appropriate amount to eat (Versluis and Papies 2016). Thus, in study 2 the large portion pictorial nudge may have indicated that eating a large amount of vegetables was appropriate. The results of study 1 may also be explained by the portion size effect. Although we did not measure the impact of different portion size nudges on children's fruit

consumption in study 1, the pictorial fruit nudge constituted a large portion and may have communicated that the appropriate course of action was to eat a large amount of grapes. In study 2, the small portion pictorial nudge did not increase children's vegetable consumption relative to the control condition, which may be due to the small portion nudge producing a ceiling effect. According to the normative model of social influence (Herman and Polivy 2005), people look to cues in the environment to determine the appropriate amount to eat without eating excessively. Therefore, the small portion pictorial nudge may have set the limit for the appropriate amount to eat and the children may have felt that they should not eat more than this. A related explanation is that eating 3-4 carrot batons (approximately 30 grams) is the norm for children, as demonstrated by children in the control condition eating this amount. The small portion nudge, which weighed 27 grams and constituted 3 carrot batons, may have reinforced this norm and guided children's behaviour. However, we did not measure normative perceptions regarding children's beliefs about the amount of vegetables eaten by other children, or what they perceived to be the appropriate amount to eat. This would be a valuable addition in future studies and would allow for the investigation of whether the nudge communicates normative information. Furthermore, in these studies we only examined large or small pictorial portion size nudges, therefore, it would be valuable to understand how nudges which depict the recommended portion size influence children's fruit and vegetable consumption.

The results of these studies may also be explained by how visually appealing the pictorial nudges were. Research has shown that visually appealing food promotes consumption (Jansen, Mulkens, and Jansen 2010; Van Kleef et al. 2014). For example, van Kleef (Van Kleef et al. 2014) found that presenting whole wheat rolls in a fun shape almost doubled

consumption of whole wheat bread, while Jansen et al (Jansen, Mulkens, and Jansen 2010) showed that children ate more fruit when it was presented in a visually appealing way (e.g. a variety of fruit on cocktails sticks stuck in a melon, vs. the same fruit on a plain plate). Thus, in the present studies the fruit nudge in study 1 may have been more appealing than the control condition (no image), and the large portion nudge in study 2 may have been more appealing than the small portion nudge and control. However, this explanation is speculative since we did not collect any information about whether children found one of the plates more visually appealing than the other, and future studies are needed to address this.

Due to the novelty of this approach it is important to gain a deeper understanding of how pictorial nudges influence children's eating behaviour. In the present studies the pictorial nudge presented to the children was the same as the food on offer and children were only offered one food option. Therefore, it is not clear whether these nudges may influence children's food choice, encouraging children to select the food depicted in the nudge over options of varying healthfulness. It is also not clear whether an image of fruit or vegetables may generalise and influence children's consumption of other types of fruit and vegetables (for example, whether an image of carrots may influence consumption of broccoli or is specific to carrot consumption). In the present studies, children participated alone, however, in a real-world setting such as the home environment, it is likely that parents would be present. Therefore, examining the impact of pictorial nudges with present parents would be an important avenue for future research. Furthermore, since the research to date has only examined the influence of pictorial nudges on one occasion, examining the longer-term impact of this type of nudge would be of value. Understanding these factors would enable a

greater understanding of how and when pictorial nudges influence children's eating behaviour, and would be informative for interventions using the nudge approach.

In conclusion, the results of these studies provide the first evidence that pictorial nudges influence children's fruit consumption, and indicate that the portion size of the pictorial nudge may be key to whether children are influenced. Future research investigating whether pictorial nudges communicate normative information, whether they influence children's food choice or are specific to the image depicted, and whether the influence of pictorial nudges persist over time, would be of value.

Conflict of interest

On behalf of all authors, the corresponding author states that there is no conflict of interest.

Funding

The authors received no specific funding for this work.

369 *References*

- 370 Bauer, J. M., and L. A. Reisch. 2019. "Behavioural Insights and (Un)Healthy Dietary
371 Choices: A Review of Current Evidence." *Journal of Consumer Policy* 42(1): 3–45.
- 372 Birch, L., Ann Arbor, Jennifer S Savage, and Alison Ventura. 2009. "Influences on the
373 Development of Children's Eating Behaviours: From Infancy to Adolescence."
374 *Canadian journal of dietetic practice and research* 68(1): 1–11.
- 375 Birch, L L, and J O Fisher. 1998. "Development of Eating Behaviors among Children and
376 Adolescents." *Pediatrics* 101(3 Pt 2): 539–49.
377 <http://www.ncbi.nlm.nih.gov/pubmed/12224660>.
- 378 Birch, Leann L, Jennifer S Savage, and Jennifer Orlet Fisher. 2015. "Right Sizing Prevention.
379 Food Portion Size Effects on Children's Eating and Weight." *Appetite* 88: 11–16.
380 <http://dx.doi.org/10.1016/j.appet.2014.11.021>.
- 381 Boeing, Heiner et al. 2012. "Critical Review: Vegetables and Fruit in the Prevention of
382 Chronic Diseases." *European Journal of Nutrition* 51(6): 637–63.
- 383 Cole, T J, and T Lobstein. 2012. "Extended International (IOTF) Body Mass Index Cut-Offs
384 for Thinness, Overweight and Obesity." *Pediatric Obesity* 7(4): 284–94.
385 <https://onlinelibrary.wiley.com/doi/abs/10.1111/j.2047-6310.2012.00064.x>.
- 386 Edmunds, L. D., and S. Ziebland. 2002. "Development and Validation of the Day in the Life
387 Questionnaire (DILQ) as a Measure of Fruit and Vegetable Questionnaire for 7-9 Year
388 Olds." *Health Education Research* 17(2): 211–20. [https://academic.oup.com/her/article-](https://academic.oup.com/her/article-lookup/doi/10.1093/her/17.2.211)
389 [lookup/doi/10.1093/her/17.2.211](https://academic.oup.com/her/article-lookup/doi/10.1093/her/17.2.211).
- 390 Elsbernd, S. L. et al. 2016. "Serving Vegetables First: A Strategy to Increase Vegetable
391 Consumption in Elementary School Cafeterias." *Appetite* 96: 111–15.

392 <http://dx.doi.org/10.1016/j.appet.2015.09.001>.

393 Fisher, Jennifer O., Yan Liu, Leann L. Birch, and Barbara J. Rolls. 2007. "Effects of Portion
394 Size and Energy Density on Young Children's Intake at a Meal." *American Journal of*
395 *Clinical Nutrition* 86(1): 174–79.

396 Herman, C. Peter, and Janet Polivy. 2005. "Normative Influences on Food Intake."
397 *Physiology and Behavior* 86(5): 762–72.

398 Hetherington, Marion M., and P. Blundell-Birtill. 2018. "The Portion Size Effect and
399 Overconsumption – Towards Downsizing Solutions for Children and Adolescents."
400 *Nutrition Bulletin* 43(1): 61–68.

401 Hollands, Gareth J. et al. 2013. "Altering Micro-Environments to Change Population Health
402 Behaviour: Towards an Evidence Base for Choice Architecture Interventions." *BMC*
403 *Public Health* 13(1).

404 Hu, D et al. 2014. "Fruits and Vegetables Consumption and Risk of Stroke: A Meta-Analysis
405 of Prospective Cohort Studies." (5): 1613–19.

406 Jansen, Esther, Sandra Mulkens, and Anita Jansen. 2010. "How to Promote Fruit
407 Consumption in Children. Visual Appeal versus Restriction." *Appetite* 54(3): 599–602.
408 <http://dx.doi.org/10.1016/j.appet.2010.02.012>.

409 Van Kleef, Ellen et al. 2014. "Nudging Children towards Whole Wheat Bread: A Field
410 Experiment on the Influence of Fun Bread Roll Shape on Breakfast Consumption."
411 *BMC Public Health* 14(1): 1–11.

412 Morizet, David et al. 2012. "Effect of Labeling on New Vegetable Dish Acceptance in
413 Preadolescent Children." *Appetite* 59(2): 399–402.
414 <https://www.sciencedirect.com/science/article/pii/S0195666312001997> (June 7, 2019).

415 Reicks, M. M. et al. 2012. "Photographs in Lunch Tray Compartments and Vegetable
 416 Consumption Among Children in Elementary School Cafeterias." *JAMA* 307(8): 784–
 417 85.

418 Research, NatCen Social. 2017. "Health Survey for England 2016: CHildren's Health."
 419 *Health and Social Care Information Centre* (December): 1–28.
 420 <http://healthsurvey.hscic.gov.uk/media/63769/HSE2016-Child-health.pdf>.

421 Schwartz, M. B. 2007. "The Influence of a Verbal Prompt on School Lunch Fruit
 422 Consumption: A Pilot Study." *International Journal of Behavioral Nutrition and*
 423 *Physical Activity* 4(6).

424 Sharps, Maxine, and Eric Robinson. 2015. "Perceived Eating Norms and Vegetable
 425 Consumption in Children." *International Journal of Behavioral Nutrition and Physical*
 426 *Activity* 12(1): 10–13. <http://dx.doi.org/10.1186/s12966-015-0296-z>.

427 ———. 2016. "Encouraging Children to Eat More Fruit and Vegetables: Health vs.
 428 Descriptive Social Norm-Based Messages." *Appetite* 100: 18–25.
 429 <http://dx.doi.org/10.1016/j.appet.2016.01.031>.

430 Small, Leigh et al. 2013. "A Systematic Review of the Evidence: The Effects of Portion Size
 431 Manipulation with Children and Portion Education/Training Interventions on Dietary
 432 Intake with Adults." *Worldviews on Evidence-Based Nursing* 10(2): 69–81.
 433 <https://sigmapubs.onlinelibrary.wiley.com/doi/abs/10.1111/j.1741-6787.2012.00257.x>.

434 Swanson, Mark, Adam Branscum, and Peace Julie Nakayima. 2009. "Promoting
 435 Consumption of Fruit in Elementary School Cafeterias. The Effects of Slicing Apples
 436 and Oranges." *Appetite* 53(2): 264–67.

437 Thaler, R. H., and C. R. Sunstein. 2008. *Nudge, Improving Decisions About Health, Wealth,*

438 *and Happiness.*


439 Versluis, Iris, and Esther K. Papies. 2016. "The Role of Social Norms in the Portion Size
440 Effect: Reducing Normative Relevance Reduces the Effect of Portion Size on
441 Consumption Decisions." *Frontiers in Psychology* 7(MAY): 1–12.

442 Wang, X et al. 2014a. "Fruit and Vegetable Consumption and Mortality from All Causes ,
443 Cardiovascular Disease , and Cancer : Systematic Review and Dose-Response Meta-
444 Analysis of Prospective Cohort Studies." *BMJ (Online)* 4490(July): 1–14.
445 <http://dx.doi.org/doi:10.1136/bmj.g4490>.

446 ———. 2014b. "Fruit and Vegetable Consumption and Mortality from All Causes ,
447 Cardiovascular Disease , and Cancer : Systematic Review and Dose-Response Meta-
448 Analysis of Prospective Cohort Studies." *BMJ (Online)* 4490(July): 1–14.

Tables and figures

Fig. 1 Mean (and standard error) food consumption and pictorial nudge images for studies 1 and 2.



1 Table 1. Mean (Min-Max) food consumption, age, gender, zBMI, and study food liking in studies 1 and 2.

Condition	Study 1			Study 2	
	Fruit nudge (n = 32)	Control (n = 31)	Large portion nudge (n = 22)	Small portion nudge (n = 20)	Control (n = 17)
Food consumption ¹	91.53 (0.0 – 153.0)	67.56 (0.0 -151.0)	46.00 (0.0 – 127.0)	29.85 (0.0 – 81.0)	31.06 (0.0 – 76.0)
Age ²	8.97 (6.40 – 11.04)	8.80 (6.11 – 11.08)	8.75 (5.10 – 12.60)	8.54 (5.11 – 12.80)	8.38 (5.11 – 12.80)
Gender	17 Females	21 Females	12 Males	9 Males	7 Males
	15 Males	10 Males	10 Females	11 Females	10 Females
zBMI	0.27 (-3.25 – 2.97)	0.09 (-2.61 – 1.75)	0.22 (-2.14 – 2.37)	0.12 (-2.15 – 2.56)	-.20 (-2.09 – 1.62)
Study food liking	4.34 (1.00 – 5.00)	4.39 (1.00 – 5.00)	2.41 (1.00 – 5.00)	2.20 (1.00 – 5.00)	2.18 (1.00 – 5.00)

2 ¹Food consumption is reported in grams.

3 ²Age is reported in years.

4